

# Product Information and Prices



## Elmasolvex SE

Watch / small parts cleaning machine



### Order numbers and list prices

Elmasolvex	SE
Order number 230 V~	1048960
Order number 115 V~	1055851
Order number 100 V~	1093369
List price	2.350,00 €

### Scope of delivery

- Basket cover + 4 glasses with covers + 4 wave breaker
- Operating manual
- Power cable

All prices ex works, excluding packaging.

Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma accessories.

## Elmasolvex SE

### Product features and functions

▪ TÜV certified explosion safety
▪ Now with 4 cleaning chambers and one drying chamber (fine filter warm air technology)
▪ Manual operation with detents at the working height and above the glass positions
▪ Easy-to-maintain design, easy-to-clean housing construction
▪ Maximum personnel safety by connecting the machine to a controlled exhaust air system
▪ Basket rack for 3 baskets, optional sinker holder
▪ Extensive and practical accessories see accessories catalog
▪ Rotation process

## Elmasolvex SE

### Technical Data - Mechanics

Elmasolvex	SE
Unit ext. dimensions W / D / H (mm)	502 / 516 / 657
Weight (kg)	19
Hot air dryer connection (DN)	75 (passive)
Volume of the media tank (l)	0,6

### Technical Data - Electronics


Elmasolvex	SE
Mains voltage (V~)	100 / 115 / 230
Mains frequency (Hz)	50 / 60
Power consumption total (W)	260
Power consumption in standby (W)	10
Speed range in cleaning / rinsing basket position (rpm)	Visually adjustable
Speed range in spinning basket position freely adjustable up to max. (rpm)	1200
Permissible ambient temperature (°C)	5 - 30

Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma accessories.

## Elmasolvex SE

### Dimension definition

#### Unit outer dimensions



The drawings are meant as a visualization aid and are not true to scale.

Technical specifications serve as orientation values and are subject to tolerances due to production and manufacturing. Proper operation can only be guaranteed when using original Elma accessories.