NEUATION



PERFECTION
MEETS PRECISION

iStir HP320a

(Magnetic Stirrer)

NEUATION

iStir HP320a

(Magnetic Stirrer)

Having spent a lot of time in the development phase before it became available for purchase, iStir HP320a has been extensively tested to ensure efficient performance and extremely user-friendly interface.

With class-leading features that are designed to deal with demanding laboratory conditions & real-life situations, iStir HP320a is the answer to all of your hot plate stirring needs with a capacity upto 10 liters.



NEUATION

Product Features



Servo DC Motor For Quiet Performance And A Long Life.



Variable Temperature Setting From Ambient To 320° C



Stirring Capacity Up To 10 Litres



Variable Speed Setting From 500-2200 RPM.



Safe Temperature Circuit For Accurate Temperature During Operation Setup Plates With Ceramic Coating Designed To Provide Erosion And Corrosion Resistance



Non-slip Strength Rubber Feet For Maximum Stability Even At High-speeds.



IP21 Class Compliant Rating For Unmatched Durability.



Small Footprint Saves Valuable Bench Space And Also Makes It Suitable For Use In Hoods And Cold Room.



Specifications

Specifications	iStir HP320a
Capacity	10 Litres
Motor Type	Servo DC
Temperature Range	Upto 320° C
Variable Speed	500 - 2200 RPM
Set-up plate Dimensions	140 x 140 mm
Weight	1.4 kg
Dimension (WxDxH)	248 x 156 x 104 mm
Protection Class	IP 21

Ordering Information

iStir HP320a			
Product Name	Cat #	Details	
iStir HP320a	HS20-1412-EU/AU/UK	Analog hot plate stirrer-220V	
iStir HP320a	HS20-1412-US	Analog hot plate stirrer-110V	

Standard Accessories		
Cat#	Part Name	
B1	Magnetic stir bar (25mm)	
B2	Magnetic stir bar (35mm)	
В3	Magnetic stir bar (50mm)	



AN ISO 9001 : 2015 & ISO 13485 : 2016 CERTIFIED MFG. COMPANY